



THE  
**BIGGER 5**  
"AUGMENTED"

EST. 2022 BY REPUBLIC® FLOOR



WELCOME TO  
"AN URBAN JUNGLE ADVENTURE"



*"...while everyone calls it just SPC/WPC planks or LVT Dryback we are proud to call it -  
"Enhanced Texture Slabs" and "Premium Feelwood Stipes" and you will find out why...!"*

*"Nature's highway is a constant battle of aggressive maneuvers and daring overtakes, where  
survival is the ultimate trophy and dominance is the currency of the wild."*

EST. 2022 BY REPUBLIC® FLOOR

THE BIGGER5

GRIZZLY  
ADVENTURE



*„In the rugged embrace of the wild, the grizzly prowls, a force of nature, its growl a thunderous defiance, daring all who cross its path.“*



EUROPE COLLECTION  
BY  
REPUBLIC®




NORTH AMERICA COLLECTION

# GRIZZLY ADVENTURE



THE BIGGER5

EUROPE COLLECTION  
BY  
REPUBLIC



- 0.50mm Wearlayer + PU-Protection Shield
- Decorfilm
- SPC Composite Layer
- Accoustic backing

PURESPC MAX

- 0.50mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT-Dryback Composite Layer


DRYBACK

<p><b>Total Thickness</b> 5.50mm</p>	<p><b>Wear Layer</b> 0.50mm</p>
<p><b>Coreboard</b> 4.0mm</p>	<p><b>Underlay</b> 1.50mm Bio-Guard</p>
<p><b>Surface</b> EIR + Bevelled Edge + UV Coating</p>	<p><b>Planks Size (W x L)</b> 1218mm x 228mm</p>

**DryBack**

Enhanced Texture Slabs / Premium Feelwood Stripes

**PureSPC Max**




\* Also available as LVT-Dryback

THE BIGGER5

CROCODILE  
ADVENTURE



*„In the shadows of the swamp, the crocodile waits, its massive jaws ready to snap, a primal force of nature, raw and unrelenting, instilling terror with each mighty lunge.“*



EUROPE COLLECTION



AUSTRALIA COLLECTION

# CROCODILE ADVENTURE



THE BIGGER5


**DryBack**

PureSPC

\* Also available as LVT-Dryback

EUROPE COLLECTION  
BY  
REPUBLIC

Enhanced Texture Slabs / Premium Feelwood Stripes



PURESPC

DRYBACK

- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT Layer
- SPC Composite Layer
- LVT Layer
- Acoustic backing

- 0.55mm Wearlayer + PU-Protection Shield
- Decorfilm
- LVT-Dryback Composite Layer

	<b>Total Thickness</b> 7.50mm		<b>Wear Layer</b> 0.55mm
	<b>Coreboard</b> 6.0mm		<b>Underlay</b> 1.5mm Bio-Guard
	<b>Surface</b> EIR + Bevelled Edge		<b>Planks Size (W x L)</b> 1218mm x 228mm




REAUCC001




REAUCC002




REAUCC003



REAUCC004



REAUCC005



REAUCC006

Characteristics	Standards	Wolf	Grizzly	Tiger	Lion	Crocodile
<b>Total Thickness</b>	EN ISO 24346	4,5mm	5,5mm	6mm	7mm	7,5mm
<b>Acoustic Solution</b>	EN ISO 24346	1mm IXPE	1,5mm (With antibacterial Bio-Guard)	1,5mm (With antibacterial Bio-Guard)	1,5mm (With antibacterial Bio-Guard)	1,5mm (With antibacterial Bio-Guard)
<b>Wear Layer</b>	EN ISO 24340	0,3mm	0,5mm	0,55mm	0,55mm	0,55mm
<b>Finish</b>		UV COATING	UV COATING	UV COATING	UV COATING	UV COATING
<b>Surface</b>		Micro-bevel	EIR+Bevelled Edge	EIR+Bevelled Edge	Herringbone EIR+Bevelled Edge	EIR+Bevelled Edge
<b>Installation Method</b>		Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating	Uniclic Locking - Glueless Floating
<b>Usage Class</b>	EN 10874 (of EN 16511)	23/32	23/34	23/34	23/34	23/34
<b>Planks Size (L*W)</b>		1218mm*181mm	1218mm*228mm	1800mm*228mm	592mm*148mm	1218mm*228mm
<b>Pallet Size (W*L*H)</b>		1000*1250*760mm	1000*1250*760mm	1000*1830*680mm	1000*1250*750mm	1000*1250*760mm
<b>Planks/package (sqm/package)</b>		10 (2.20 sqm)	8 (2.22 sqm)	5 (2.05 sqm)	16 (1.40 sqm)	6 (1.66 sqm)
<b>Weight/package</b>		16.91kg	19.38kg	20kg	16.50kg	22.44kg
<b>Package/pallet</b>		55	48	60	60	48
<b>sqm/pallet</b>		121	107	123	84	80
<b>sqm/container</b>		2904	2568	2091	1764	1600
<b>Pallet/container</b>		24	24	17	21	20
<b>Package/container</b>		1320	1152	1020	1260	960
<b>Total weight/pallet</b>		950kg	960kg	1200kg	1040kg	1077kg
<b>Reaction to Fire (CE)</b>	EN 13501-1	Bfl-S1	Bfl-S1	Bfl-S1	Bfl-S1	Bfl-S1
<b>Thermal Conductivity</b>	EN 12667	0.087 W/(m·K)	0.110 W/(m·K)	0.107 W/(m·K)	0.131 W/(m·K)	0.143 W/(m·K)
<b>Thermal Resistance</b>	EN 12667	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W	0.030 (m²·K)/W
<b>Curling after Exposure to Heat</b>	EN ISO 23999	No curling	≤  0.5 mm	≤  0.5 mm	≤  0.5 mm	≤  1.0 mm
<b>Underfloor Heating suitability</b>		Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C	Suitable, max 27°C

Characteristics	Standards	Wolf	Grizzly	Tiger	Lion	Crocodile
<b>Static Electrical Propensity (CE)</b>	EN 14041	0,5kV, Pass	0,5kV, Pass	0,5kV, Pass	0,5kV, Pass	0,5kV, Pass
<b>Slip Resistance (CE)</b>	EN 13893	DS	DS	DS	DS	DS
<b>Slip Resistance (Ramp Test)</b>	DIN 51130	R9	R9	R9	R9	R9
<b>Abrasion Resistance</b>	EN 15468, Annex A	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)	> 7300 revolutions (≥ 7000 for Class 34)
<b>Locking Strength</b>	ISO 24334	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m	Long edge: 4.5 kN/m, short edge: 5.5 kN/m
<b>Castor Chair Resistance</b>	ISO 4918	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)	Pass (Type W, > 25000cycles)
<b>Effect of Furniture Leg</b>	EN ISO 16581	Pass	Pass	Pass	Pass	Pass
<b>Microscratch Resistance</b>	DIN EN 16094	MSR-A3	MSR-A2	MSR-A2	MSR-A2	MSR-A2
<b>Residual Indentation</b>	EN ISO 24343-1	0.03mm	0.04mm	0.04mm	0.04mm	0.04mm
<b>Dimensional Stability</b>	EN ISO 23999	≤ 0.05%	≤ 0.05%	≤ 0.05%	≤ 0.05%	≤ 0.05%
<b>Impact Sound Improvement</b>	EN ISO 717-2	ΔLw = 21 dB	ΔLw = 20 dB	ΔLw = 20 dB	ΔLw = 20 dB	ΔLw = 20 dB
<b>Resistance to Stain</b>	EN 438-2	Group 1: Grade 5   Group 2: Grade 4   Group 3: Grade 4/5/5	Group 1: Grade 4   Group 2: Grade 5   Group 3: Grade 4/5/5	Group 1: Grade 4   Group 2: Grade 5   Group 3: Grade 4/5/5	Group 1: Grade 4   Group 2: Grade 5   Group 3: Grade 4/5/5	Group 1: Grade 4   Group 2: Grade 5   Group 3: Grade 4/5/5
<b>Impact Resistance</b>	EN 13329	> 1800mm	> 1800mm	> 1800mm	> 1800mm	> 1800mm
<b>Formaldehyde / VOC Emissions</b>	EN 717-1	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free	E1 / VOC Free
<b>Greenguard</b>		Pass	Pass	Pass	Pass	Pass
<b>Phthalate Free</b>		Yes	Yes	Yes	Yes	Yes



*„Produced & stored exclusively for Europe“*





# DryBack

Premium Feelwood Stripes

Enhanced Texture Slabs

# PureWPC Max

	Characteristics	Standards	Grizzly A / Crocodile
Floor Properties	Total Thickness	EN ISO 24346	2.5mm
	Wear Layer	EN ISO 24340	0.5mm
	Finish		UV COATING
	Surface		Registered Embossing (EIR)
	Installation Method		Gluedown
	Usage Class	EN 10874 (of EN ISO 10582)	23/33/41
Packaging Information	Planks Size (L*W)		1219*228mm
	Pallet Size (W*L*H)		1000*1250*720mm
	Planks/package (sqm/package)		16 (4.44sqm)
	Weight/package		21.66kg
	Package/pallet		52
	sqm/pallet		230.8
	sqm/container		4617
	Pallet/container		20
Behaviour to Heat	Package/container		1040
	Total weight/pallet		1146kg
	Reaction to Fire (CE)	EN 13501-1	Bfl-S1
	Underfloor Heating suitability		Suitable, max. 27°C
	Slip Resistance	EN 13893	DS
Toxic Substances	Residual Indentation	EN ISO 24343-1	≤ 1%
	Dimensional Stability	EN ISO 23999	≤ 0.15%
	Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free
	Greenguard		Pass
Phthalate Free		Yes	

	Characteristics	Standards	Alligator
Floor Properties	Total Thickness	EN ISO 24346	8mm
	Acoustic Solution	EN ISO 24346	1mm Cork
	Wear Layer	EN ISO 24340	0.7mm
	Finish		Black Emerald Coating
	Surface		EIR+Deep Bevelled edge
	Installation Method		Uniclic Locking - Glueless Floating
Packaging Information	Usage Class	EN 10874 (of EN 16511)	23/34
	Planks Size (L*W)		1524mm*228mm
	Pallet Size (W*L*H)		980*1550*860mm
	Planks/package (sqm/package)		6 (2.08 sqm)
	Weight/package		17.24kg
	Package/pallet		68
	sqm/pallet		141
	sqm/container		1985
Behaviour to Heat	Pallet/container		14
	Package/container		952
	Total weight/pallet		1225kg
	Reaction to Fire (CE)	EN 13501-1	Bfl-S1
	Thermal Conductivity	EN 12667	0.107 W/(m·K)
Toxic Substances	Thermal Resistance	EN 12667	0.073 (m <sup>2</sup> ·K)/W
	Curling after Exposure to Heat	EN ISO 23999	≤  0.5 mm
	Underfloor Heating suitability		Suitable, max 27°C

	Characteristics	Standards	Alligator
Technical Features	Slip Resistance (CE)	EN 13893	DS
	Slip Resistance (Ramp Test)	DIN 51130	R10
	Abrasion Resistance	ISO 24338	> 7700 cycles (≥ 7000 for Class 34)
	Locking Strength	ISO 24334	LS: 2.4 kN/m, SS: 3.6 kN/m
	Castor Chair Resistance	ISO 4918	Pass (Type W, > 25000cycles)
	Effect of Furniture Leg	EN ISO 16581	Pass
	Microscratch Resistance	DIN EN 16094	ΔR' = 1, MSR-B1
	Residual Indentation	EN ISO 24343-1	0.05mm
	Impact Sound Improvement	EN ISO 717-2	ΔLw = 20 dB
	Resistance to Stain	EN 438-2	Acetone: Grade 5   Coffee: Grade 5 NaOH: Grade 4   H <sub>2</sub> O <sub>2</sub> : Grade 5 Carbon Black Suspension: Grade 5
Toxic Substances	Formaldehyde / VOC Emissions	EN 717-1	E1 / VOC Free
	Content of Pentachlorophenol (PCP)	EN 14041, Annex B	Pass
	Greenguard		Pass
	Phthalate Free		Yes



„Produced & stored exclusively for Europe“



# THE ICONIC COLLECTIONS



BY REPUBLIC®

"Simplicity is the ultimate satisfaction..."

- Welcome to Republic® Floor Germany GmbH -

... an integral part of the Republic® Group of companies, operating globally with a steadfast commitment to excellence. Republic® Floor was originally founded in 2014 in the USA by Eli Shuat and Rotem Eylor.

Since then Republic® had an incredible journey by opening 14 huge distributions centers in North America, Canada and Middle East. Today Republic® has branches and distribution centers around the world and is still growing... At Republic®, we uphold a tradition of delivering exceptional products, pioneering marketing strategies, and innovative distribution methods, all while staying true to our core values of loyalty, trust, sustainability, and future vision. Central to our operations is our revolutionary distribution network.

By establishing logistics hubs worldwide and maintaining control over our manufacturing processes, we guarantee a seamless flow of goods to our customers. With our efficient pipeline and strategically located warehouses, we ensure prompt delivery, eliminating lengthy waiting periods and providing unparalleled service. Yet, beyond products and distribution lies our cornerstone: marketing with values. In a world inundated with noise, clarity is paramount. We're proud to be recognized as one of the premier brands in the USA, and we're performing a similar impact in Europe.

Our focus isn't solely on the technical aspects of flooring solutions but on the ethos behind our brand. Republic® stands for more than just functional floors; we stand for integrity, reliability, and the assurance that our products are fit for our own families and friends. As we embark on our European marketing campaign, we remain steadfast in our commitment to our core values. Amidst changing landscapes and evolving markets, Republic® remains unwavering in its dedication to excellence. Our theme, "An Urban Jungle Adventure - Incredibly Insane...!" encapsulates the excitement and innovation that define our brand. Ultimately, our success hinges on more than just profits. It's about purpose, belief, and the shared values that resonate with our customers.

By prioritizing our 'why' – our cause, our belief – we foster trust, loyalty, and enduring relationships. At Republic®, every step we take, from design to production to customer service, is guided by our unwavering commitment to our core values. Join us on this journey as we redefine flooring solutions and set new standards of excellence. With Republic®, you're not just getting a product; you're becoming part of a legacy built on trust, innovation, and a vision for a better future - welcome to Republic® family!!!


*Your Republic® Team Europe*





### „To me, marketing is about values...

Clients world wide



In today's fast-paced and noisy world, capturing consumer attention is a daunting task. We must be crystal clear about what sets us apart. Our proven success in the USA positions us as one of the top brands, and we're on the brink of achieving similar recognition in Europe. However, sustaining our brand's relevance requires continuous investment in preserving our core values.

Our mission in Europe wasn't just about promoting product features; it's about communicating our core values. Republic Floor stands for more than just providing flooring solutions; at its core, it embodies a commitment to delivering products we can wholeheartedly recommend to our loved ones. This ethos permeates every aspect of our organization, reflecting our unwavering dedication to quality and integrity.

As we launched our inaugural marketing campaign in Europe, our primary focus was and will be on emphasizing this core value. Despite the shifts in the flooring industry due to the pandemic, Republic's core values remain unchanged. Our first marketing campaign in Europe was articulate this enduring commitment. Our customers deserve clarity about who we are and what we represent. Therefore, our marketing efforts must communicate our unwavering commitment to excellence in every aspect of our operations.

In essence, Republic Floor is synonymous with uncompromising quality, integrity, and a steadfast commitment to our core values. Our purpose

extends beyond profit; it's about making a meaningful impact and ensuring that our customers trust us implicitly. Additionally, beyond advertising, we must ensure that our customers are fully informed about us. Exciting product announcements are on the horizon, and significant developments are underway within the next six months.

In conclusion, our "why" – our purpose, cause, and beliefs – is what resonates with our customers, fostering trust, loyalty, and predictability. As we continue to innovate and expand, let's ensure that our core values remain at the forefront of everything we do.

So, what sets our company apart and draws customers to us is our "why" – our underlying purpose and beliefs. It's not just about presenting facts, figures, and data or showcasing why we're better than our competitors. At the end of the day, businesses and customers are made up of people. People are more inclined to buy from companies whose values align with their own. Building trust, fostering loyalty, and maintaining consistency are key elements in earning customer confidence. We strive to always deliver on our promises, ensuring that our actions are predictable in a positive manner...a trustful, honest and strong relationship is always the key. Some would like it or not, our campaign shows who we are and how we act - always reflecting our core values.

You can quote us, disagree with us, glorify or vilify us, but the only thing you can't do is ignore us because we change things in our industry".

*Martin Dettmer - Director of International Sales and Marketing*



REPUBLIC®

EST. 2022 BY REPUBLIC® FLOOR



OUR  
**REPUBLIC® FAMILY**



**Bernhard Grünaug**  
Executive Senior Vice President / Geschäftsführer  
Phone: +49 (0)151 14831002  
E mail: [b.gruenaug@republicflooreu.com](mailto:b.gruenaug@republicflooreu.com)

**Christian Schmidt**  
Sales Manager national/international  
Phone: +49 (0)152 27580624  
E mail: [c.schmidt@republicflooreu.com](mailto:c.schmidt@republicflooreu.com)

**Jochen Schopmeyer**  
Salesmanager Germany  
Phone: +490152-27594308  
E mail: [j.schopmeyer@republicflooreu.com](mailto:j.schopmeyer@republicflooreu.com)

**James Roberts**  
Warehouse Supervisor  
Phone: +491794161042  
E mail: [j.roberts@republicflooreu.com](mailto:j.roberts@republicflooreu.com)

**Martin Dettmer**  
Director of International Sales and Marketing  
Phone: +49 (0)162 6081467  
E mail: [m.dettmer@republicflooreu.com](mailto:m.dettmer@republicflooreu.com)

**Tracey Kellas**  
Foreign Commerce & Logistics  
Phone: +49 (0)2921 6600672  
E mail: [tracey.kellas@republicflooreu.com](mailto:tracey.kellas@republicflooreu.com)

**Heansuh Lee**  
Product Development  
Phone: +49 (0)2921 6600673  
E mail: [heansuh.lee@republicflooreu.com](mailto:heansuh.lee@republicflooreu.com)

**Michael Lutterbüse**  
Warehouse Logistic Specialist  
Phone: +49 1781541795  
E mail: [j.roberts@republicflooreu.com](mailto:j.roberts@republicflooreu.com)

Republic Floor GmbH

European Headquarters: Lisa-Meitner-Str. 1  
82152 Krailling, München, Germany  
Distribution Hub: Ferdinand-Gabriel-Weg 4-8  
59494, Soest, Germany

